



APA INNOVATIONS INC

X2/X1/M1/MX/BM/XV DUAL CAM MOD DRAWLENGTH CHART

Speeds Tested @ 5 Gr/lbs @ 70lbs

Table with columns: Year Released, Compound Bow, IBO, #1, #1.5, #2, #2.5, #3, #3.5, #4, #4.5, #5, #5.5, #6, #6.5, #7. Rows list various bow models from 2017 to 2026 with their corresponding draw lengths.



APA INNOVATIONS INC

X2/X1/M1/MX/BM/XV DUAL CAM MOD DRAWLENGTH CHART

Speeds Tested @ 5 Gr/lbs @ 70lbs

Year Released	Compound Bow	IBO	#1	#1.5	#2	#2.5	#3	#3.5	#4	#4.5	#5	#5.5	#6	#6.5	#7
2017	Mamba 38 RDS	333	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"	33"
2016	Mamba 32 TF	353	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	
2016	Mamba Air TF	348	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	
2016	Mamba M36	346	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5	32"	
2015	King Cobra TF	370	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"
2015	Mamba X36	338	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"	
2015	Mamba X39	337	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"	
2014	Mamba Air	341	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"		
2014	Mamba M34	346	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"
2014	Mamba T39	337	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"	
2014	Mamba X7	338	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"	
2013	Mamba M5	348 @28	23"	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"		
2012	Mamba M6	357	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"
2012	Mamba XL39	335	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"	33"
2012	Mamba XLR36	340	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"
2012	Sidewinder He2	329	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"
2011	King Cobra He	361	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"
2011	Mamba M7	346	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"
2011	Mamba XL36	340	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"
2010	Blk. Mamba 6.5	348	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2010	Blk. Mamba 7.5	338	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"
2010	Blk.Mamba XL 7.0	338	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"
2009	Blk. Mamba MX1	352	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	31"	30"		
2009	Blk. Mamba MX2	338	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	31"	30.5"	31" 345	31.5"
2009	King Cobra	361	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	31"	29"	29.5"	30"



APA INNOVATIONS INC
R1 ROTATABLE DUAL CAM MOD CHART

Speeds Tested @ 5 Gr/lbs & 75% Lett Off @ 60lbs

Table with 25 columns (Year, Compound Bow, IBO, A, A.5, B, B.5, C, C.5, D, D.5, E, E.5, F, F.5, G, G.5, H, H.5, I, I.5, J, J.5, K, K.5, L) and 3 rows of data for years 2025, 2024, and 2023.



APA INNOVATIONS INC

VENOM V2 SINGLE CAM MOD CHART

Speeds Tested @ 5 Gr/lbs + 80% Lett Off

Year Released	Compound Bow	IBO	SHORT MOD						SHORT/LONG			LONG MOD					
			A	A.5	B	B.5	C	C.5	D	D.5	E	E.5	F	F.5	G	G.5	H
2021	Pit Viper Air	320	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2020	Viper 28 TF	325	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2019	Viper Micro	320	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2019	Viper 30 TF	332	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2018	Viper Air TF	323	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2018	Viper Nano TF	330	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2018	Vipera KJ	320	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2017	Vipera Venom	318	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2016	Diamondback	318	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2016	Diamondback LT	313	23"	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"
2015	Copperhead 1	320	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2015	Copperhead LT1	318	23"	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"
2014	Viper Air	323	23"	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"
2014	Viper T39	325	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"
2014	Viper X7	325	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"
2013	Viper Nano	330	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2013	Viper X8	315	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"
2012	Sidewinder He1	318	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2012	Viper XL39	318	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"	33"
2012	Viper XLR35	323	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"
2011	Sidewinder	315	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"
2011	Viper V7	332	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"
2011	Viper XL 35	323	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"
2010	Pit Viper	333	23"	23.5"	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"
2010	Viper XL	325	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"
2009	Viper	322	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"



APA INNOVATIONS INC.

VENOM XP SINGLE CAM MOD CHART

Speeds Tested @ 5 Gr/lbs + 80% Lett Off

Year	Compound Bow	IBO	A	B	C	D	E	F
2008	Viper	314	25"	26"	27"	28"	29"	30"
2007	Python XP	305	26"	27"	28"	29"	30"	31"
2007	Suphan XP	322	25"	26"	27"	28"	29"	30"
2007	Taipan XP	298	26"	27"	28"	29"	30"	31"
2006	Python	320	26"	27"	28"	29"	30"	
2006	Suphan	310 @28"	24"	25"	26"	27"	28"	
2005	Taipan	315	26"	27"	28"	29"	30"	
2008	Boa	322	25"	26"	27"	28"	29"	30"
2008	Python X	311	26"	27"	28"	29"	30"	31"



APA INNOVATIONS INC BOW SPECIFICATION CHART

Year Released	Compound Bow	AXLE TO AXLE	BRACE HEIGHT	POCKET TYPE	LIMB BOLT	CARBON ROD	STRING LENGTH	CABLE LENGTH	STRING DAMPENER	LIMB 40LBS	LIMB 50LBS	LIMB 60LBS	LIMB 70LBS	LIMB 80LBS	LIMB 90LBS
2026	Black Mamba PRO 6	31 3/8"	6 1/16"	1.25 B	2 1/4"	5 3/8"	52 7/8"	32 3/4"	5 3/8"	13" - 51	13" - 61	13" - 71	13" 81	13" 91	
2026	King Cobra DGX	31 1/4"	5 3/8"	1.25 B+	1 3/4"	5 7/8"	53 3/4"	33 3/4"	4 5/8"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 80	13.5" - 95	13.5" - 105
2026	Black Mamba X33	33"	6 5/16"	1.25 D-	2 1/4"	5 7/8"	54 9/16"	27 3/16"	5 3/4"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 80	13.5" - 95	13.5" - 105
2026	Python PRO	37"	7"	1.25 B	2 1/4"	6"	58 1/2"	38 1/4"	6 1/2"	14" - 44	14" - 54	14" - 64	14" - 74	14" - 84	
2025	Serpent R1	30"	7 1/2"	1.25 A	2 1/2"	9"	52 15/16"	31 1/2"	7 3/8"	13"-119	13"-119	13"-119			
2025	Summit	28"	7 3/8"	1.25 B	2 1/4"	7"	49 5/8"	29 5/16"	7 1/4"	13" - 52	13" - 62	13" - 72	13" - 82		
2025	Black Mamba 32	32 3/8"	6 3/8"	1.25 D-	2 1/4"	5 7/8"	53 3/4"	33 7/8"	5 1/2"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 80	13.5" - 95	13.5" - 105
2025	Python	37"	7"	1.25 B	2 1/4"	6"	58 1/2"	38 1/4"	6 1/2"	14" - 44	14" - 54	14" - 64	14" - 74	14" - 84	
2024	Black Mamba PRO	31 1/2"	6 1/16"	1.25 B	2 1/4"	5 3/8"	52 7/8"	32 3/4"	5 3/8"	13" - 49	13" - 59	13" - 69	13" 79	13" 89	
2024	Black Mamba X38	37 7/8"	6 7/8"	1.25" B	2 1/2"	6"	59 7/16"	39 1/8"	6 7/16"	14" - 44	14" - 54	14" - 64	14" - 74	14" - 84	
2024	Black Mamba Air +	28"	7 1/2"	1.25 B	2 1/2"	6 3/8"	49 7/8"	29 3/8"	7 1/2"		13" - 59	13" - 69	13" - 79		
2024	Serpent S2	30"	7 1/2"	1.25 A	2 1/2"	9"	52 15/16"	31 1/2"	7 3/8"	13"-119	13"-119	13"-119			
2023	Black Mamba 29	29 1/8"	6 1/4"	1.25 A	2 1/2"	5 1/8"	50 7/8"	30 3/8"	5 7/8"	13" - 49	13" - 59	13" - 69	13" 79	13" 89	
2023	Serpent	30"	7 1/2"	1.25 A	2 1/2"	9"	52 15/16"	31 1/2"	7 3/8"	13"-119	13"-119	13"-119			
2022	King Cobra DG	32 7/8"	5 7/16"	1.25 C+	1 3/4"	4 3/8"	54 9/16"	34 3/16"	4 5/8"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 80	13.5" - 95	13.5" - 105
2022	Black Mamba 28 ^{VYT}	28"	7 1/8"	1.25 D-	2 1/2"	5 3/4"	49 7/8"	29 3/8"	6 3/4"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 80	13.5" - 95	
2022	Black Mamba 31 ^{VYT}	31 1/4"	6 3/4"	1.25 E	2 1/2"	6"	53"	32 3/4"	6"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 80	13.5" - 95	
2022	Black Mamba 33 ^{VYT}	33 3/8"	6 7/8"	1.25 C	2 1/2"	6"	55 1/8"	34 3/4"	6 1/8"	14" - 42	14" - 54	14" - 64	14" - 74	14" - 84	14" - 94
2022	Black Mamba 36 ^{VYT}	36"	6 7/8"	1.25 E	2 1/2"	5 3/4"	57 7/8"	37 5/16"	6 1/2"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 80	13.5" - 95	
2022	Black Mamba 38 ^{VYT}	37 7/8"	6 7/8"	1.25" B	2 1/2"	6"	59 7/16"	39 1/8"	6 7/16"	14" - 44	14" - 54	14" - 64	14" - 74	14" - 84	
2022	Black Mamba Air ^{VYT}	28"	7 1/2"	1.25 B	2 1/2"	6 3/8"	49 7/8"	29 3/8"	7 1/2"		13" - 59	13" - 69	13" - 79		
2021	Pit Viper Air	27 1/2"	7 1/2"	1.25 B	2 1/2"	5 3/4"	80 5/8"	30"	7 3/8"	12" - 100	12" - 100	12" - 100			
2021	Black Mamba 28	28"	7 1/8"	1.25 D-	2 1/2"	5 3/4"	49 7/8"	29 3/8"	6 3/4"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	
2021	Black Mamba 31	31 1/4"	6 3/4"	1.25 E	2 1/2"	6"	53 1/16"	32 3/4"	6"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	
2021	Black Mamba 33	33 3/8"	6 7/8"	1.25 C	2 1/2"	6"	55 1/8"	34 3/4"	6 1/8"	14" - 42	14" - 54	14" - 64	14" - 76	14" - 86	14" - 96
2021	Black Mamba 35	35 5/16"	7 3/8"	1.25 E	2 1/2"	6 1/2"	56 15/16"	36 3/4"	7"	14" - 42	14" - 52	14" - 64	14" - 76	14" - 86	
2021	Black Mamba 38	37 7/8"	6 7/8"	1.25" B	2 1/2"	6"	59 7/16"	39 1/8"	6 7/16"	14" - 42	14" - 52	14" - 64	14" - 76	14" - 86	
2021	Black Mamba Air	28"	7 1/2"	1.25 B	2 1/2"	6 3/8"	49 7/8"	29 3/8"	7 1/2"		13" - 59	13" - 69	13" - 80		
2020	King Cobra MT	33 3/8"	5 5/16"	1.25 C+	1 3/4"	4 3/8"	55 1/8"	34 3/4"	4 5/8"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	13.5" - 104
2020	Mamba 28 MT	28"	7 1/8"	1.25 D-	2 1/2"	5 3/4"	49 7/8"	29 3/8"	6 3/4"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	
2020	Mamba 33 MT	33 3/8"	6 7/16"	1.25 C	2 1/2"	5 1/2"	55 1/8"	34 3/4"	5 3/4"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	13.5" - 104
2020	Viper 28 TF	27 1/2"	7 3/8"	1.25B	2 1/2"	5"	80 5/8"	30"	7"	13" - 54	13" - 68	13" - 80	13" - 92		
2020	Black Mamba 35	35"	7 3/8"	1.25 E	2 1/2"	6 1/2"	56 15/16"	36 3/4"	7"	14" - 42	14" - 52	14" - 62	14" - 74	14" - 84	
2020	Black Mamba 38	37 7/8"	6 7/8"	1.25" B	2 1/2"	6"	59 7/16"	39 1/8"	6 7/16"	14" - 42	14" - 52	14" - 62	14" - 74	14" - 84	
2019	King Cobra XR	33 3/8"	5 5/16"	1.25 C+	1 3/4"	4 3/8"	55 1/8"	34 3/4"	4 5/8"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	13.5" - 104



APA BOW SPECS

Year Released	Compound Bow	AXLE TO AXLE	BRACE HEIGHT	POCKET TYPE	LIMB BOLT	CARBON ROD	STRING LENGTH	CABLE LENGTH	STRING DAMPENER	LIMB 40LBS	LIMB 50LBS	LIMB 60LBS	LIMB 70LBS	LIMB 80LBS	LIMB 90LBS
2019	Mamba 28 XR	28"	7 1/8"	1.25 D-	2 1/2"	5 3/4"	49 7/8"	29 3/8"	6 3/4"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81		
2019	Mamba 33 XR	33 3/8"	6 7/16"	1.25 C	2 1/2"	5 1/2"	55 1/8"	34 3/4"	5 3/4"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	13.5" - 104
2019	Mamba 35 XR	35 1/8"	7 3/8"	1.25 E	2 1/2"	6 1/2"	56 15/16"	36 3/4"	7"	14"-42	14"- 52	14"-62	14" - 74	14"- 84	
2019	Mamba 38 XR	38"	6 7/8"	1.25" B	2 1/4"	6"	59 7/16"	39 1/8"	6 7/16"	14" - 42	14" - 52	14" - 62	14" - 74	14"- 84	
2019	Rattler TF	28"	7"	1.25" A	2 1/4"	7 1/4"	50"	31"	6 5/8"	12" - 100	12" - 100	12" - 100			
2019	Viper 30 TF	30"	7 1/4"	1.25 E	2 1/2"	5 1/2"	85 3/4"	32 1/2"	6 1/2"	13" - 54	13" - 68	13" - 80	13" - 92	13" - 108	
2019	Viper Micro TF	27 1/2"	7 1/2"	1.25 B	2 1/2"	5 3/4"	80 5/8"	30"	7 3/8"	12" - 100	12"- 100	12" - 100			
2018	King Cobra TF2	33 3/8"	5 5/16"	1.25 C+	1 3/4"	4 1/4"	55 1/8"	34 3/4"	4 5/8"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	13.5" - 104
2018	Mamba 35 TF RDS	35 1/8"	7 3/8"	1.25 E	2 1/2"	7 1/2"	56 15/16"	36 3/4"	7"	14"-42	14"- 52	14" - 62	14" - 74		
2018	Mamba 38 TF RDS	38"	6 7/8"	1.25" B	2 1/4"	7 1/2"	59 7/16"	39 1/8"	6 7/16"	14" - 42	14" - 52	14" - 62	14" - 74		
2018	Viper Air TF	27 1/2"	7 3/8"	1.25" E	2 1/2"	5 3/8"	80 5/8"	30"	7 1/2"	13"- 54	13"- 68	13"-80	13"-92		
2018	Viper Nano TF	30"	7 1/4"	1.25" D	2 1/4"	5 3/8"	86 7/8"	33 1/16"	6 5/8"	13" - 54	13" - 68	13" - 80	13" - 92	13"- 108	
2018	Vipera KJ	27 1/2"	7 3/8"	1.25" E	2 1/2"	5 3/8"	80 5/8"	30"	7 1/2"	13"- 54	13"- 68	13" - 80			
2017	Mamba 34 TF	34 1/8"	6 1/8"	1.25" B	2 1/4"	5 5/8"	55 5/8"	35 9/16"	5 5/8"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	13.5" - 104
2017	Mamba 36 RDS	36 1/8"	6 1/4"	1.25" A	2 1/2"	5 5/8"	57 5/8"	37 9/16"	5 5/8"	14" - 52	14" - 62	14" - 74	14" - 84		
2017	Mamba 38 RDS	38"	6 7/8"	1.25" B	2 1/2"	7 1/2"	59 7/16"	39 1/8"	6 7/16"	14" - 42	14" - 52	14" - 62	14" - 74		
2017	Viper Venom	29"	7"	1.25" C	2 1/4"	7"	83 1/2"	31 3/8"	7 3/8"	13" - 80	13" - 80	13" - 80			
2016	Diamondback	30 1/2"	7 1/8"	1.25" D	2. 1/2"	7"	86 7/8"	33 1/16"	6 5/8"	13" - 92	13"- 92	13"- 92			
2016	Diamondback LT	27.5"	7"	1.25" E	2 1/2"	7"	80 5/8"	30"	7 1/2"	13" - 92	13"- 92	13"- 92			
2016	Diamondback Micro	28"	7"	1.25" A	2 1/4"	7 1/4"	50"	31"	7 1/4"	12" - 100	12"- 100	12" - 100			
2016	Mamba 32 TF	32 1/4"	6 5/8"	1.25" D	2 1/2"	6"	53 3/4"	33 3/4"	5 7/8"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	13.5" - 104
2016	Mamba Air TF	28 1/2"	7"	1.25" E	2 1/2"	5 7/8"	50"	30"	7 1/16"	13.5" - 50	13.5" - 60	13.5" - 70	13.5" - 81		
2016	Mamba M36	36 3/16"	6 1/4"	1.25" A	2 1/4"	5 5/8"	57 5/8"	37 9/16"	5 5/8"	14" - 52	14" - 62	14" - 74	14" - 84		
2015	Copperhead 1	31 1/4"	7"	1.25" C	2 1/4"	6 5/8"	88 1/4"	33 7/8"	6 1/2"	13" - 54	13" - 68	13" - 80	13" - 92		
2015	Copperhead Jr	28"	7"	1.25" A	2 1/2"	7 1/4"	50"	31"	7 1/4"	12" -100	12" - 100	12" - 100			
2015	Copperhead LT1	29"	7"	1.25" C	2 1/4"	7"	83 1/2"	31 3/8"	7 3/8"		13" - 68	13" - 80	13" - 92		
2015	King Cobra TF	34 1/16"	5"	1.25" B+	1 3/4"	4 3/8"	55 5/8"	35 9/16"	4 1/2 "		13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 92	13.5" - 104
2015	Mamba X36	36 1/2"	7 1/4"	1.25" C	2 1/4"	5 1/2"	57 7/8"	38 1/8"	6 3/4"		14" - 52	14" - 62	14" - 74		
2015	Mamba X39	39"	6 5/8"	1.25" A	2 1/4"	5 3/4"	60 1/2"	40 3/8"	6"		14" - 52	14" - 62	14" - 74		
2014	Mamba Air	28 1/2"	7 3/8"	1.25" E	2 1/2"	6 3/8"	50"	30"	7 1/2"		14" - 52	14" - 62	14" - 74		
2014	Mamba M34	34 1/16"	6 5/8"	1.25" A	2 1/4"	6 1/8"	55 5/8"	35 9/16"	5 7/8"		14" - 52	14" - 62	14" - 74	14" - 84	
2014	Mamba T39	39"	6 5/8"	1.25" A	2 1/4"	5 3/4"	60 1/2"	40 3/8"	6"		14" - 52	14" - 62	14" - 74		
2014	Mamba X7	36 1/2"	7 1/4"	1.25" C	2 1/4"	5 1/2"	57 7/8"	37 1/8"	6 3/4"		14" - 52	14" - 62	14" - 74		
2014	Viper Air	27 1/2"	7 3/8"	1.25" E	2 1/2"	5 3/8"	80 5/8"	30"	7 1/2"		13" - 68	13" - 80	13" - 92		
2014	Viper T39	39"	6 1/2"	1.25" A	2"	4 1/2"	104"	41 3/4"	6"		13" - 80	13" - 92	13" - 108		
2014	Viper X7	35 1/2"	7 1/8"	1.25" C	2 1/4"	5 1/4"	96 3/4"	38"	6 5/8"		13" - 68	13" - 80	13" - 92		
2013	Mamba M5	32 1/4"	5"	1.25" C+	1 3/4"	4 5/8"	53 3/4"	33 3/4"	4 3/16"		13" - 54	13" - 68	13" - 80		
2013	Rattler	28"	7"	1.25" A	2 1/4"	7 1/4"	50"	31"	7 1/4"		12" - 100	12" - 100			
2013	Viper Nano	30"	7 1/4"	1.25" D	2 1/4"	5 3/8"	86 7/8"	33 1/16"	6 5/8"		13" - 68	13" - 80	13" - 92		



APA BOW SPECS

Year Released	Compound Bow	AXLE TO AXLE	BRACE HEIGHT	POCKET TYPE	LIMB BOLT	CARBON ROD	STRING LENGTH	CABLE LENGTH	STRING DAMPENER	LIMB 40LBS	LIMB 50LBS	LIMB 60LBS	LIMB 70LBS	LIMB 80LBS	LIMB 90LBS
2013	Viper X8	35"	7 3/4"	1.25" C	2 1/4"	4 3/4" +A	95 1/2"	37 3/8"	7 3/16"		13" - 68	13" - 80	13" - 92		
2012	Mamba M6	32 1/4"	6 1/8"	1.25" C	2 1/4"	5 3/4"	53 3/4"	33 3/4"	5 3/8"		13" - 54	13" - 68	13" - 80		
2012	Mamba XL39	39"	7 1/4"	1.25" A	2 1/4"	6 1/2"	60 1/2"	40 3/8"	6 5/8"		14" - 62	14" - 74	14" - 84		
2012	Mamba XLR36	36"	7 1/4"	1.25" C	2 1/4"	5 1/2"	57 7/8"	38 1/8"	6 5/8"		13.5" - 58	13.5" - 70	13.5" - 80		
2012	Sidewinder He1	29"	7"	1.25" C	2 1/4"	5"+A.	83 1/2"	31 3/8"	7 3/8"	13" - 54	13" - 68	13" - 80	13" - 92		
2012	Sidewinder He2	30"	7"	1.25" C	2 1/4"	5 3/4"+A	51 1/2"	31 1/2"	7 1/4"	14" - 40	14" - 52	14" - 64	14" - 74		
2012	Viper XL39	39"	7"	1.25" A	2"	6"	104"	41 3/4"	6 3/8"		13" - 92	13" - 108	13" - 120		
2012	Viper XLR35	35"	7 3/4"	1.25" C	2 1/4"	6"+A	95 1/2"	37 3/8"	7 3/16"		13" - 68	13" - 80	13" - 92		
2011	King Cobra He	34"	5 1/16"	1.25" B+	1 3/4"	6"	55 7/16"	35 7/16"	4 3/8"		13.5" - 58	13.5" - 68	13.5" - 80	13.5" - 92	
2011	Mamba M7	32 1/4"	7 1/8"	1.25" C	2 1/4"	6 7/8"	53 3/4"	33 3/4"	6 5/16"		14" - 52	14" - 62	14" - 74		
2011	Mamba XL36	36"	7 1/4"	1.25" C	2 1/4"	5 1/2"	57 7/8"	37 1/8"	6 5/8"		13.5" - 58	13.5" - 70	13.5" - 80	13.5" - 95	
2011	Sidewinder B Pocket	30"	7"	B	2 1/4"	5 5/8"+A	85 3/4"	32 5/8"	7 1/2"		13.5" - 60	13.5" - 70	13.5" - 80		
2011	Sidewinder C Pocket	30"	7"	C	2 1/4"	5 5/8"+A	85 3/4"	32 5/8"	7 1/2"		13.5" - 70	13.5" - 80	13.5" - 88		
2011	Viper V7	31 1/4"	7"	1.25" C	2 1/4"	5 9/16"	88 1/4"	33 7/8"	6 1/2"		13" - 68	13" - 80	13" - 92		
2011	Viper XL 35	35"	7 3/4"	1.25" C	2 1/4"	6"+A	95 1/2"	37 3/8"	7 3/16"		13" - 68	13" - 80	13" - 92		
2010	Blk. Mamba 6.5	32 1/4"	6 1/2"	C	2 1/4"	7 1/4"	53 3/4"	33 3/4"	5 7/8"		13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 89	
2010	Blk. Mamba 7.5	32 1/4"	7 1/2"	C	2 1/4"	8"	53 3/4"	33 3/4"	6 5/8"		14.5" - 50	14.5" - 61	14.5" - 70	14.5" - 79	
2010	Blk.Mamba XL 7.0	37 1/4"	7"	B	2 1/4"	7"	58 3/4"	38 3/4"	6 1/4"		13.5" - 60	13.5" - 70	13.5" - 81		
2010	Pit Viper	31 1/4"	6 5/8"	C+	1 3/4"	6 1/4"	88 1/4"	33 7/8"	5 13/16"		13.5" - 70	13.5" - 80	13.5" - 89		
2010	Viper XL	36 1/4"	7"	C	1 3/4"	5 7/16"	98"	38 3/4"	6 3/16"		13.5" - 70	13.5" - 80	13.5" - 89		
2009	Blk. Mamba MX1	34"	6 1/8"	B	2 1/4"	6 3/4"	55 7/8"	35 7/16"	5 7/16"		13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 89	
2009	Blk. Mamba MX2	32 1/4"	7 3/8"	C	2 1/4"	8"	53 3/4"	33 3/4"	6 5/8"		14.5" - 50	14.5" - 61	14.5" - 70	14.5" - 79	
2009	Blk.Mamba XL	37 1/4"	8"	B	2 1/4"	8"	58 3/4"	38 3/4"	7 1/4"		14.5" - 50	14.5" - 61	14.5" - 70		
2009	King Cobra	34"	5 1/16"	B+	2"	6"	55 7/16"	35 7/16"	4 1/4"		13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 89	
2008	Blk. Mamba X1	35 7/8"	5 1/2"	A	2"	6 3/4"	57 1/4"	37 1/2"	4 3/4"		13.5" - 60	13.5" - 70	13.5" - 81	13.5" - 89	
2008	Boa	34 7/8"	6 3/4"	A	2"	7"	95 1/2"	37 1/2"	5 3/4"		13.5" - 70	13.5" - 81	13.5" - 89		
2008	Python X	38 1/4"	7 3/4"	A	2"	6 1/4"	101 3/4"	40 3/4"	6 1/2"		13.5" - 70	13.5" - 80	13.5" - 89		
2008	Viper	31 1/4"	7 9/16"	C	2.25"	7 1/4"	88 1/4"	33 7/8"	6 3/4"		13.5" - 70	13.5" - 80	13.5" - 89		
2007	Anaconda VT.	39 1/2"	7 1/2"	A	2"	7 5/8"	60 3/4"	41 1/8"	6 1/5"		14.5" - 48	14.5" - 56	14.5" - 69		
2007	Anaconda XP	39"	8 1/2"	A	2"	7 5/8"	103 1/2"	41 1/2"	7 5/8"		14.5" - 56	14.5" - 67	14.5" - 79		
2007	Blk Mamba X2	33 7/8"	7 1/16"	B	2 1/4"	8"	55 1/4"	35 1/2"	6 5/16"		14.5" - 50	14.5" - 61	14.5" - 70	14.5" - 79	
2007	Python XP	37 5/8"	7 1/4"	A	2"	5 3/4"	100 1/4"	39 15/16"	6 5/16"		13" - 60	13" - 73	13" - 88		
2007	Suphan XP	33 1/16"	7 1/4"	B	2.25"	8"	91 3/4"	35 3/4"	6 5/16"		13.5" - 67	13.5" - 81	13" - 88		
2007	Taipan XP	33 1/16"	8 1/4"	B	2.25"	8 1/4"	92"	36"	7 5/16"		14.5" - 56	14.5" - 67	14.5" - 79	14.5" - 89	
2006	Anaconda DC.	39 3/8"	7 1/2"	A	2"	7 5/8"	58 5/8"	41"	4 3/4"		14.5" - 40	14.5" - 49	14.5" - 59		
2006	Blk Mamba Xtreme	35 3/8"	6 5/8"	A	2"	7 3/4"	56 5/8"	37 1/8"	5 7/8"		14.5" - 48	14.5" - 56	14.5" - 69	14.5" - 74	
2006	Python	37 1/2"	7 3/16"	A	2"	5 3/4"	100 1/4"	39 15/16"	6 1/4"		13" - 60	13" - 73	13" - 88		
2006	Suphan	33 3/8"	6 1/2"	A	2"	6 3/4"	92"	36"	5 7/8"		13" - 60	13" - 73	13" - 88		
2005	Blk Mamba	35 1/4"	6 1/2"	A	2"	7 3/4"	54 5/8"	37"	5 7/8"		14.5" - 40	14.5" - 49	14.5" - 59	14.5" - 69	



Year Released	Compound Bow	AXLE TO AXLE	BRACE HEIGHT	POCKET TYPE	LIMB BOLT	CARBON ROD	STRING LENGTH	CABLE LENGTH	STRING DAMPENER	LIMB 40LBS	LIMB 50LBS	LIMB 60LBS	LIMB 70LBS	LIMB 80LBS	LIMB 90LBS
2005	Taipan	35"	7 3/4"	A	2"	8"	95 1/8"	37 9/16"	6 1/5"		14.5"-56	14.5"-67	14.5"-79	14.5"-89	